

Baltimore City Seasonal Influenza Surveillance Report:

Week 13 - Week ending March 29, 2008



This week's level: **Flu Alert**

- Indicators of influenza activity in Baltimore City have been decreasing steadily
- 2% of "rapid" influenza tests reported by Baltimore City sentinel laboratories this week were positive
- The level of influenza activity in Maryland during week 13 was reported as "Regional" <http://www.cdc.gov/flu/weekly/usmap.htm>
- For information on preventing the flu (including vaccination), visit the Health Department website at <http://www.baltimorehealth.org/flu> or call 311

SUMMARY

Syndromic surveillance:¹ 0% of visits reported by sentinel healthcare providers² this week in Baltimore City were due to influenza-like-illness (ILI);⁴ a decrease from the previous week when 5.6% of visits were due to ILI.


Documented influenza: 2.2% of "rapid" influenza tests reported by Baltimore City sentinel laboratories⁵ tests were positive; similar to last week when the percent positive was also 2.2%. One death related to influenza has been reported so far this season. The number of deaths due to pneumonia and influenza were consistent with this same time period in past years.

SYNDROMIC SURVEILLANCE

911 Call Data

Weekly averages of daily 911 calls for "breathing problems" and "sick" complaints are graphed below. The average number of calls for "breathing problems" and sick complaints remained similar to the previous week. The highest level (season-to-

date) occurred during week 6 (week ending February 9). These numbers are consistent with this time period in previous years.



Emergency Department Data

During the past week, the number of patients presenting with a chief complaint⁸ of fever or flu-like symptoms were consistent with this time period in previous years.

ILI Cases at Doctor's Offices

Table 1: Proportion of patient visits due to ILI from sentinel providers in Baltimore City and the Baltimore Metro Region

Week	No. of Reporting Sentinel Providers (Total)	Cases of ILI	Patients seen by reporting providers	% of patient visits due to ILI
Baltimore City				
13	1 (3)	0	314	0.0%
Baltimore Metro Region³				
13	2(14)	1	549	0.2%

DOCUMENTED INFLUENZA

Lab Confirmed Cases of Influenza

To date, the Maryland State Department of Health and Mental Hygiene laboratory has isolated influenza virus in 212 samples. Of those, 21% were type A H1, 40% were Type A H3, 26% were Type A untyped, and 14% were Type B.

Rapid Test Confirmed Cases of Influenza

Table 2: Percent of positive rapid flu tests from Baltimore City and the Baltimore Metro Region sentinel hospital laboratories

Week	No. of Reporting Labs (Total)	No. of Positive Tests	Total Tests Performed by Reporting Labs	% Positive for Flu
Baltimore City				
13	2 (4)	4	180	2.2%
Baltimore Metro Region				
13	5 (10)	12	278	4.3%

Institutional Outbreaks

During this time period, there were no outbreaks reported to the Baltimore City Health Department. To date, there have been three outbreaks of confirmed influenza A and two outbreaks of pneumonia/ILI in Baltimore City.

Influenza and Pneumonia Mortality

There were no deaths due to influenza and 10 deaths due to pneumonia reported during week 13. The first death related to influenza was reported during week 12 and occurred during week 10. Deaths related to pneumonia and influenza constituted 7.5% of all deaths reported in Baltimore City during this week, similar to the same time period during the years 2003-2007 when P&I mortality ranged from 4.9-11.7%.

HOSPITAL CAPACITY

Baltimore City emergency departments have not experienced a strain on capacity during this period.⁹

NOTES

¹The main goal of syndromic surveillance is to identify illness clusters early, before diagnoses are confirmed and reported to public health agencies. Non-specific indicators of illness such as chief complaint data from emergency departments will provide early indications that flu activity in the community may be increasing.

²The Maryland Department of Health and Mental Hygiene (DHMH) collects data from sentinel providers throughout the

state as part of the Centers for Disease Control and Prevention's (CDC) national influenza surveillance program. The percent of patient visits due to influenza-like illness (ILI) is calculated as the total number of patients with ILI seen at all sentinel providers' offices divided by the total number of patients seen at these practices. Not all sentinel providers report each week; the number reporting each week this period is documented in Table 1. Additionally, the number of providers reporting in the city is small and could result in fluctuations in the % of patient visits due to ILI.

³The Baltimore Metropolitan Region includes Anne Arundel, Baltimore, Carroll, Harford, and Howard Counties, and Baltimore City.

⁴Influenza-Like Illness (ILI) is defined as a fever (temperature of 100°F [37.8°C] or greater) and a cough and/or a sore throat in the absence of a KNOWN cause other than influenza. (<http://www.cdc.gov/flu/weekly/pdf/flu-surveillance-overview.pdf> - Last Accessed October 16th, 2007).

⁵Data on the percent of positive rapid-flu tests are reported to the Health Department by DHMH on a weekly basis.

⁶The Baltimore City Health Department reports mortality due to influenza and pneumonia to the CDC on a weekly basis. Deaths for which pneumonia or influenza was listed as the underlying or contributing cause of death are counted in this report. These numbers represent deaths that occurred in Baltimore City (regardless of residence of the deceased). The date of death is usually within ~2-3 weeks of the report.

⁷The Biosurveillance Analyst at the Baltimore City Health Department receives 911 call data on a daily basis and analyzes these data for aberrations in the number of calls in which "breathing problems," "sick," "fever," or "flu" are included in the text.

⁸Five Baltimore City emergency departments report chief complaint data to the Health Department's Biosurveillance Analyst regularly. Based on historical data, the data are analyzed for aberrations in chief complaints of fever or flu-like syndromes.

⁹The Baltimore City Fire Department's Emergency Medical Systems Division provides the Baltimore City Health Department with data on hospital stay time and ambulance diversions each week for the purpose of tracking hospital capacity during the flu season.

MORE INFORMATION ON INFLUENZA SUREVILLANCE

For more information on the Baltimore City Health Department's Seasonal Influenza plan and for past reports, please visit our website:
www.baltimorehealth.org/flu

For information on influenza activity state-wide, please visit the DHMH's Influenza surveillance program website:
http://edcp.org/influenza/Influenza_serv.html

For information on influenza activity nation-wide, please visit the CDC's website:
<http://www.cdc.gov/flu/weekly/fluactivity.htm>