

Baltimore City Seasonal Influenza Surveillance Report:


Week 14 - Week ending April 5, 2008



This week's level: **Flu Alert**

- Indicators of influenza activity in Baltimore City have been decreasing steadily
- 1.5% of "rapid" influenza tests reported by Baltimore City sentinel laboratories this week were positive
- Two deaths related to influenza were reported during this period
- The level of influenza activity in Maryland during week 14 was reported as "Widespread" <http://www.cdc.gov/flu/weekly/usmap.htm>
- For information on preventing the flu (including vaccination), visit the Health Department website at <http://www.baltimorehealth.org/flu> or call 311

the previous week. The highest level (season-to-date) occurred during week 6 (week ending February 9). These numbers are consistent with this time period in previous years.



SUMMARY

Syndromic surveillance:¹ 1% of visits reported by sentinel healthcare providers² this week in Baltimore City were due to influenza-like-illness (ILI);⁴ there were no visits due to ILI during the previous week.

Documented influenza: 1.5% of "rapid" influenza tests reported by Baltimore City sentinel laboratories⁵ tests were positive; similar to last week when the percent positive was 2.2%. Two deaths related to influenza were reported this period. The number of deaths due to pneumonia and influenza was slightly higher compared to this same time period in past years.

SYNDROMIC SURVEILLANCE

911 Call Data

Weekly averages of daily 911 calls for "breathing problems" and "sick" complaints are graphed below. The average number of calls for "breathing problems" and sick complaints remained similar to

Emergency Department Data

During the past week, the number of patients presenting with a chief complaint⁸ of fever or flu-like symptoms were consistent with this time period in previous years.

ILI Cases at Doctor's Offices

Table 1: Proportion of patient visits due to ILI from sentinel providers in Baltimore City and the Baltimore Metro Region

Week	No. of Reporting Sentinel Providers (Total)	Cases of ILI	Patients seen by reporting providers	% of patient visits due to ILI
Baltimore City				
14	1 (3)	3	330	0.9%
Baltimore Metro Region³				
14	1 (14)	3	330	0.9%

DOCUMENTED INFLUENZA

Lab Confirmed Cases of Influenza

To date, the Maryland State Department of Health and Mental Hygiene laboratory has isolated influenza virus in 222 samples. Of those, 20% were type A H1, 37% were Type A H3, 26% were Type A untyped, and 17% were Type B.

Rapid Test Confirmed Cases of Influenza

Table 2: Percent of positive rapid flu tests from Baltimore City and the Baltimore Metro Region sentinel hospital laboratories

Week	No. of Reporting Labs (Total)	No. of Positive Tests	Total Tests Performed by Reporting Labs	% Positive for Flu
Baltimore City				
14	3 (4)	2	135	1.5%
Baltimore Metro Region				
14	7 (10)	13	287	4.5%

Institutional Outbreaks

During this time period, there were no outbreaks reported to the Baltimore City Health Department. To date, there have been three outbreaks of confirmed influenza A and two outbreaks of pneumonia/ILI in Baltimore City.

Influenza and Pneumonia Mortality

There were 2 deaths due to influenza and 19 deaths due to pneumonia reporting during week 13. There have been 3 deaths related to influenza this season. Deaths due to pneumonia and influenza constituted 13.0% of all deaths reported in Baltimore City during this week, slightly higher than during previous years. P&I mortality ranged from 4.9-11.7% during 2003-2007.

HOSPITAL CAPACITY

Baltimore City emergency departments have not experienced a strain on capacity during this period.⁹

NOTES

¹The main goal of syndromic surveillance is to identify illness clusters early, before diagnoses are confirmed and reported to public health agencies. Non-specific indicators of illness such as chief complaint data from emergency departments will provide early indications that flu activity in the community may be increasing.

²The Maryland Department of Health and Mental Hygiene (DHMH) collects data from sentinel providers throughout the state as part of the Centers for Disease Control and

Prevention's (CDC) national influenza surveillance program. The percent of patient visits due to influenza-like illness (ILI) is calculated as the total number of patients with ILI seen at all sentinel providers' offices divided by the total number of patients seen at these practices. Not all sentinel providers report each week; the number reporting each week this period is documented in Table 1. Additionally, the number of providers reporting in the city is small and could result in fluctuations in the % of patient visits due to ILI.

³The Baltimore Metropolitan Region includes Anne Arundel, Baltimore, Carroll, Harford, and Howard Counties, and Baltimore City.

⁴Influenza-Like Illness (ILI) is defined as a fever (temperature of 100°F [37.8°C] or greater) and a cough and/or a sore throat in the absence of a KNOWN cause other than influenza. (<http://www.cdc.gov/flu/weekly/pdf/flu-surveillance-overview.pdf> - Last Accessed October 16th, 2007).

⁵Data on the percent of positive rapid-flu tests are reported to the Health Department by DHMH on a weekly basis.

⁶The Baltimore City Health Department reports mortality due to influenza and pneumonia to the CDC on a weekly basis. Deaths for which pneumonia or influenza was listed as the underlying or contributing cause of death are counted in this report. These numbers represent deaths that occurred in Baltimore City (regardless of residence of the deceased). The date of death is usually within ~2-3 weeks of the report.

⁷The Biosurveillance Analyst at the Baltimore City Health Department receives 911 call data on a daily basis and analyzes these data for aberrations in the number of calls in which "breathing problems," "sick," "fever," or "flu" are included in the text.

⁸Five Baltimore City emergency departments report chief complaint data to the Health Department's Biosurveillance Analyst regularly. Based on historical data, the data are analyzed for aberrations in chief complaints of fever or flu-like syndromes.

⁹The Baltimore City Fire Department's Emergency Medical Systems Division provides the Baltimore City Health Department with data on hospital stay time and ambulance diversions each week for the purpose of tracking hospital capacity during the flu season.

MORE INFORMATION ON INFLUENZA SUREVILLANCE

For more information on the Baltimore City Health Department's Seasonal Influenza plan and for past reports, please visit our website:
www.baltimorehealth.org/flu

For information on influenza activity state-wide, please visit the DHMH's Influenza surveillance program website:
http://edcp.org/influenza/Influenza_serv.html

For information on influenza activity nation-wide, please visit the CDC's website:
<http://www.cdc.gov/flu/weekly/fluactivity.htm>